



**Electrolux**  
PROFESSIONAL

## Modular Cooking Range Line 900XP Sink Top with Water Column, 400 mm

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



391236 (E9SUNDQ000)

Sink Top with water column,  
400mm

### Short Form Specification

#### Item No. \_\_\_\_\_

930mm deep unit with 1,5mm thick AISI 304 stainless steel worktop and exterior panels in Stainless Steel with Scotch Brite finishing.

AISI 304 well, 1mm-thick and 150mm deep with GN 1/1 dimensions. Features tap with hot and cold water knobs and right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.

### Main Features

- Tap with hot and cold water knobs.
- Well with GN1/1+GN1/3 dimensions, 160mm deep.
- Can be installed on neutral base, refrigerated base, cantilever and bridge installation.
- Top configuration allows installation on ambient base only (not possible to install on refrigerated nor freezer base).
- Suitable for countertop installation.

### Construction

- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.
- All exterior panels in Stainless Steel with Scotch Brite finishing.
- AISI 304 well, 1,2 mm-thick.
- Side and rear panel in AISI 304 stainless steel.
- Unit is 930 mm deep to give a larger working surface area.
- AISI 304 stainless steel worktop, 2mm thick.

APPROVAL: \_\_\_\_\_



Experience the Excellence  
[www.electroluxprofessional.com](http://www.electroluxprofessional.com)

**Optional Accessories**

|                                                |            |                          |
|------------------------------------------------|------------|--------------------------|
| • Junction sealing kit                         | PNC 206086 | <input type="checkbox"/> |
| • Support for bridge type installation, 800mm  | PNC 206137 | <input type="checkbox"/> |
| • Support for bridge type installation, 1000mm | PNC 206138 | <input type="checkbox"/> |
| • Support for bridge type installation, 1200mm | PNC 206139 | <input type="checkbox"/> |
| • Support for bridge type installation, 1400mm | PNC 206140 | <input type="checkbox"/> |
| • Support for bridge type installation, 1600mm | PNC 206141 | <input type="checkbox"/> |
| • Support for bridge type installation, 400mm  | PNC 206154 | <input type="checkbox"/> |
| • Half module overshell                        | PNC 206183 | <input type="checkbox"/> |
| • Chimney upstand, 400mm                       | PNC 206303 | <input type="checkbox"/> |
| • Side handrail-right/left hand (900XP)        | PNC 216044 | <input type="checkbox"/> |
| • Frontal handrail, 400mm                      | PNC 216046 | <input type="checkbox"/> |
| • Frontal handrail, 800mm                      | PNC 216047 | <input type="checkbox"/> |
| • Frontal handrail, 1200mm                     | PNC 216049 | <input type="checkbox"/> |
| • Frontal handrail, 1600mm                     | PNC 216050 | <input type="checkbox"/> |
| • Large handrail - portioning shelf, 400mm     | PNC 216185 | <input type="checkbox"/> |
| • Large handrail - portioning shelf, 800mm     | PNC 216186 | <input type="checkbox"/> |
| • 2 side covering panels for top appliances    | PNC 216278 | <input type="checkbox"/> |



2023.12.17